

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	(Programmable adj logic adj device) and (regulated adj power) and (unregulated adj power)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:11
L2	35	(power adj regulator) and (regulated adj power) and (unregulated adj power)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:12
L3	67	(power adj regulator) and (current adj mirror) and (voltage adj regulator)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:14
L4	0	(power adj regulator) and (current adj mirror) and (voltage adj regulator) and (PISO)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:14
L5	0	(power adj regulator) and (current adj mirror) and (voltage adj regulator) and (multi adj gigabit adj transceiver)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:14
L6	0	(power adj regulator) and (current adj mirror) and (voltage adj regulator) and (parallel adj serial)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:15
L7	0	"370"/\$.ccls. and (power adj regulator) and (current adj mirror) and (voltage adj regulator) and (transmit adj PLL)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:16
L8	0	"327"/\$.ccls. and (power adj regulator) and (current adj mirror) and (voltage adj regulator) and (transmit adj PLL)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:16
L9	0	"375"/\$.ccls. and (power adj regulator) and (current adj mirror) and (voltage adj regulator) and (transmit adj PLL)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:16
L10	0	"375"/\$.ccls. and (power adj regulator) and (current adj mirror) and (voltage adj regulator) and (programmable adj logic adj device)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:17
L11	0	"370"/\$.ccls. and (power adj regulator) and (current adj mirror) and (voltage adj regulator) and (programmable adj logic adj device)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:17

EAST Search History

L12	0	"327"/\$.ccls. and (power adj regulator) and (current adj mirror) and (voltage adj regulator) and (programmable adj logic adj device)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:17
L13	8	"327"/\$.ccls. and (power adj regulator) and (current adj mirror) and (voltage adj regulator)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:18
L14	1665	(transmit adj clock) and (receive adj clock)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:19
L15	0	(transmit adj clock) and (receive adj clock) and (select\$5 with (regulated adj power))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:20
L16	0	(transmit adj clock) and (receive adj clock) and (select\$5 with (unregulated adj power))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:20
L17	187	(transmit adj clock) and (receive adj clock) and (parallel adj serial)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:20
L18	129	(transmit adj clock) and (receive adj clock) and (parallel adj serial) and (serial adj parallel)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:21
L19	0	(transmit adj clock) and (receive adj clock) and (parallel adj serial) and (serial adj parallel) and (unregulated adj power)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:21
S1	5	10/660190	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/01 10:17
S2	6	10/661016	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/01 10:16
S3	0	"10660190"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/01 10:17
S4	5	"10/660190"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 08:35

EAST Search History

S5	0	(giga adj bit adj transceiver) and (regulated adj power) and (unregulated adj power)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 10:09
S6	11	(transceiver) and (regulated adj power) and (unregulated adj power)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 08:36
S7	0	(multi adj giga adj bit adj transceiver) and (regulated adj power)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 09:04
S8	5	10/660190	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 09:04
S9	0	"10660190"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/08/06 09:04